

Work Order ID 124891

Thursday, September 25, 2014 1:09:43 PM

124891

Page 1

Item ID: D407-667-205RLC Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Aft Crosstube - High 407
 Start Date: 9/25/2014 Start Qty: 1.00 ***1*** Cust Item ID:
 Required Date: 9/25/2014 Req'd Qty: 1.00 ***1*** Customer:
 Reference:

Approvals: Process Plan: MLJ Date: 14-09-25 Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D407-667-245	Rev F/DEO

100	Document Control	0.00							
100	DOCUMENT CONTROL								
DC	Memo	0.00							
Doc.Control -USB or Paperwork	Photocopy bluefile and create labels as per PPP D407-667-205. CHG008								

MLJ 14-11-06

110	Pick Kit	0.00							
110	Packaging								
Packaging	Memo	0.00							
Packaging									

BL 14-10-16

120	BENDING MACHINE - CROSSTUBES	0.00							
120									
CNC Bend 1	Memo	0.00							
CNC Delta 100 Bender	1-Bend tube as per Dwg D407-667-245 using CNC bender program 407 Aft and Folio 21								

BL 14-10-16

Work Order ID 124891

Thursday, September 25, 2014 1:09:43 PM

124891

Page 2

Item ID: D407-667-205RLC

Accept

N900040100Setup Start ***NS1***

Revision ID:

Item Name: Aft Crosstube - High 407

Stop ***NS2***

Start Date: 9/25/2014 Start Qty: 1.00

1

Cust Item ID:

Required Date: 9/25/2014 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals:

Process Plan: _____

Date: _____

Tooling: _____

Date: _____

Run Start ***NR1***

QC: _____

Date: _____

SPC (Y/N): _____

Date: _____

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

130

QC15- Crosstube Dimensional Check

0.00

130

QC

Memo

0.00

Quality Control

DAS
03
9-26
14-10-20

Work Order ID 124891

Thursday, September 25, 2014 1:09:43 PM

124891

Page 3

Item ID: D407-667-205RLC

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Aft Crosstube - High 407

Start Date: 9/25/2014 Start Qty: 1.00 ***1***

Cust Item ID:

Required Date: 9/25/2014 Req'd Qty: 1.00 ***1***

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start ***NR1***
Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

140

140

Crosstubes

Crosstubes

0.00

0.00

Memo

***** ENSURE PROPER JIG POSITIONING BEFORE DRILLING*****
VERIFIED BY: JS *****

1-Drill pilot holes in tube using drill Jig DT8583 & DT8584 as per Dwg D407-667-245. Drill all (3) top holes. Holes facing inboard. Drill and Ream all holes in tube to finish size using drill Jig DT8583 & DT8584 as per Dwg D407-667-245

***** ENSURE PROPER JIG POSITIONING BEFORE DRILLING*****
VERIFIED BY: JS *****2- Drill fwd rivet holes using drill Jig DT8787 fwd as per Dwg D407-667-245.
Note: FWD side has 3X top holes facing inboard.

3- C'sink holes as per dwg D407-667-245. Allow rivet to sit below surface to compensate for paint.

4- Flip tube and switch drilling Jigs from right to left, left to right. Locate Jigs off existing holes using "T" pins. Drill ONLY 2 top holes ONLY plug most bottom hole to prevent accidental drilling. Drill holes and ream using drill Jig DT8583 & DT8584 as per Dwg D407-667-245. Drill only the top (2) holes. Drill & ream the top (2) holes to finish size using drill Jig DT8583 & DT8584 as per Dwg D407-667-245

***** ENSURE PROPER JIG POSITIONING BEFORE DRILLING*****
VERIFIED BY: JS *****

5-Drill aft rivet holes using drill Jig DT8787 aft as per Dwg D407-667-245.

JS 14-10-22

Work Order ID 124891

Thursday, September 25, 2014 1:09:43 PM

124891

Page 4

Item ID: D407-667-205RLC Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Aft Crosstube - High 407
 Start Date: 9/25/2014 Start Qty: 1.00 ***1*** Cust Item ID:
 Required Date: 9/25/2014 Req'd Qty: 1.00 ***1*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
	Drill only the top (2) holes.								
	**** ENSURE PROPER JIG POSITIONING BEFORE DRILLING**** VERIFIED BY: <u>BL</u> ****								
	6- C'sink holes as per dwg D407-667-245. Allow rivet to sit below surface to compensate for paint.								
	7- Scribe tube to identify on the inner chamfer in the cuff D# and B#								
	8-*** WEAR LATEX GLOVES WHEN HANDLING CROSSTUBE***Debur & Inspect for surface damage. Repair damage within limits as per Dwg D407-667-245								

Handwritten: TW 1410-22

Handwritten: BL

Handwritten: 14/10/27

150

150

QC

Quality Control

QC5- Inspect part completeness to step on W/O 0.00

Memo 0.00

*** WEAR LATEX GLOVES WHEN HANDLING CROSSTUBE***

1 **DAS 38 9-89**

OCT 28 2014

Work Order ID 124891

Thursday, September 25, 2014 1:09:43 PM

124891

Page 5

Item ID: D407-667-205RLC Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Aft Crosstube - High 407
 Start Date: 9/25/2014 Start Qty: 1.00 ***1*** Cust Item ID:
 Required Date: 9/25/2014 Req'd Qty: 1.00 ***1*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160		0.00							
160									DAS
HandFXtube	Memo	0.00				1			41
Hand Finishing Crosstubes	*** WEAR LATEX GLOVES WHEN HANDLING CROSSTUBE***								9-89
	1- CLEAN CROSSTUBE WITH WASH'N WIPE								14-10-28
180	Outsource process - NDT per QSI038 4.1	0.00							
180									
Outsource2	Memo	0.00							
Outsource process - NDT	*** WEAR LATEX GLOVES WHEN HANDLING CROSSTUBE***								
	Liquid Penetrant Inspection as per QSI 0380								
	Issue P/O: <u>26273</u> LPI as per ASTM 1417								
	Level 2 Attach copy of NDT results to work order								
190		0.00							
190									
Packaging	Packaging								
Packaging	Memo	0.00							
Packaging	*** WEAR LATEX GLOVES WHEN HANDLING CROSSTUBE***								
	Ensure copy of NDT results attached to work order.								

CH 14/10/290

128P14-10-28

Work Order ID 124891***124891***

Page 6

Thursday, September 25, 2014 1:09:43 PM

Item ID: D407-667-205RLC

Accept

N900040100

Setup Start

NS1

Revision ID:

Item Name: Aft Crosstube - High 407

Stop

NS2

Start Date: 9/25/2014 Start Qty: 1.00

1

Cust Item ID:

Required Date: 9/25/2014 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

200

QC5- Inspect part completeness to step on W/O

0.00

200

QC

Memo

0.00

Quality Control

*** WEAR LATEX GLOVES WHEN HANDLING CROSSTUBE***

OCT 29 2014

204

0.00

204

HandFXtube

Memo

0.00

Hand Finishing Crosstubes

*** WEAR LATEX GLOVES WHEN HANDLING CROSSTUBE***

1- PRESSURE WASH AND THEN USE WASH'N WIPE TO CLEAN
CROSSTUBE BEFORE CHEMICAL CONVERSION

DAS

41

9-89

14-10-28

206

QC7-Inspect Chemical Conversion Coat

0.00

206

QC

Memo

0.00

Quality Control

*** WEAR LATEX GLOVES WHEN HANDLING CROSSTUBE***

DAS

38

9-89

OCT 29 2014

Work Order ID 124891***124891***

Page 7

Thursday, September 25, 2014 1:09:43 PM

Item ID: D407-667-205RLC Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Aft Crosstube - High 407
Start Date: 9/25/2014 Start Qty: 1.00 ***1*** Cust Item ID:
Required Date: 9/25/2014 Req'd Qty: 1.00 ***1*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
210		0.00							DAS
210	SprayPaint					1			41
SprayPaint	Memo	0.00							9-29
Spray Painting	*** WEAR LATEX GLOVES WHEN HANDLING CROSSTUBE***								14-10-29

1-Prime inside and outside crosstube as per DEO D407-667-245 and QSI 005 4.2

PRIME: 129807Start Time: 200Fininsh Time: 340

Mask underside of crosstube as shown

2-Paint outside crosstube with White Imron as per QSI 005 4.2

PAINT: 130531Start Time: 700Finish Time: 745

3- Apply clear coat as per dwg

Clear Coat Batch: 130308

Work Order ID 124891***124891***

Page 8

Thursday, September 25, 2014 1:09:43 PM

Item ID: D407-667-205RLC

Accept

N900040100Setup Start ***NS1***

Revision ID:

Item Name: Aft Crosstube - High 407

Stop ***NS2***

Start Date: 9/25/2014 Start Qty: 1.00

1

Cust Item ID:

Required Date: 9/25/2014 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals:

Process Plan: _____

Date: _____

Tooling: _____

Date: _____

Run Start ***NR1***

QC: _____

Date: _____

SPC (Y/N): _____

Date: _____

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

220

QC14- Inspect Spray Paint

0.00

220

QC

Memo

0.00

Quality Control

Then, Wrap in plastic bag to protect from scratches

① 14-11-05

DAS
9
9-89

Work Order ID 124891

Thursday, September 25, 2014 1:09:43 PM

124891

Page 11

Item ID: D407-667-205RLC

Accept

N900040100Setup Start ***NS1***

Revision ID:

Item Name: Aft Crosstube - High 407

Stop ***NS2***Start Date: 9/25/2014 Start Qty: 1.00 ***1***

Cust Item ID:

Required Date: 9/25/2014 Req'd Qty: 1.00 ***1***

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
270	Packaging	0.00							
270									
Packaging	Memo	0.00							
Packaging	Identify and in kanban rack Location: _____								
280	QC21- Final Inspection - Work Order Release	0.00							
280									
QC	Memo	0.00							
Quality Control									

14-11-13

Picklist Print

Thursday, September 25, 2014 1:09:46 PM

Page 1

Work Order ID: 124891

124891

Parent Item: D407-667-205RLC

D407-667-205RI C

Parent Item Name: Aft Crosstube - High 407

Start Date: 9/25/2014

Required Date: 9/25/2014

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP REV:A 14.09.24 NEW ISSUE II VERF:DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D407-667-205TRN		Manufactured	No	β 124543		110	Each	0.0000	1	1	1	BL	14-10-16

D407-667-205TRN

Crosstube Turning Detail

D2873-043		Manufactured	No			230	Each	44.0000	2	2			
-----------	--	--------------	----	--	--	-----	------	---------	---	---	--	--	--

D2873-043

Nut Plate Assembly

Location	Loc Qty	Loc Code
LG052	44	
107964	4	
113050	32	
114550	8	

D2873-045		Manufactured	No			230	Each	47.0000	2	2			
-----------	--	--------------	----	--	--	-----	------	---------	---	---	--	--	--

D2873-045

Nut Plate Assembly

Location	Loc Qty	Loc Code
LG052	47	
113144	7	
113886	40	

D2894-1		Manufactured	No			230	Each	8.0000	1	1		DAS	
---------	--	--------------	----	--	--	-----	------	--------	---	---	--	-----	--

D2894-1

2.75 Support

Location	Loc Qty	Loc Code
LG052	8	
105623	6	
113132	2	

Picklist Print

Thursday, September 25, 2014 1:09:46 PM

Page 2

Work Order ID: 124891

124891

Parent Item: D407-667-205RLC

D407-667-205RI C

Parent Item Name: Aft Crosstube - High 407

Start Date: 9/25/2014

Required Date: 9/25/2014

Start Qty: 1.00

Required Qty: 1.00

D3190-1 Manufactured No

230

Each

13.0000

2

2

DAS

D3190-1

Chaffing Shield

**

41

9-89

14-11-3

Location

Loc Qty

Loc Code

2

125177
LG053

13

105834

3

109948

10

D3595-063-450

Manufactured No

230

Each

200.0000

2

2

DAS

D3595-063-450

Rubber Cushion

**

41

9-89

14-11-3

Location

Loc Qty

Loc Code

FG

15

88422

5

94274

10

LG050

4

118828

4

LG051

181

109526

2

115083

72

115780

100

117650

7

2

MS20601-AD4W8

Purchased No

230

Each

421.0000

14

14

MS20601-AD4W8

RIVET

**

14-10-5

Location

Loc Qty

Loc Code

ST310

421

M126637

24

M127813

24

M128429

73

M128650

300

Thursday, September 25, 2014 1:09:46 PM

Shop Packet Print

Page 2

Picklist Print

Thursday, September 25, 2014 1:09:46 PM

Page 3

Work Order ID: 124891

124891

Parent Item: D407-667-205RLC

D407-667-205RI C

Parent Item Name: Aft Crosstube - High 407

Start Date: 9/25/2014

Required Date: 9/25/2014

Start Qty: 1.00

Required Qty: 1.00

MS21920-22

Purchased

No

230

Each

178.0000

4

4

DAS

41

9-89

14-11-3

MS21920-22

Clamp

Location

Loc Qty

Loc Code

LG050

178

M127255

2

M128636

176

4

MS21920-25

Purchased

No

230

Each

93.0000

2

2

DAS

41

9-89

14-11-3

MS21920-25

Clamp

Location

Loc Qty

Loc Code

FG

2

120920

2

LG050

91

M129592

2

M130279

14

M130286

25


M130400

50

2

DART AEROSPACE LTD		Work Order:	124891
Description: Crosstube High Aft (407)		Part Number:	D407-667-205
Inspection Dwg: D407-667-245	Rev: F	Page 1 of 1	

Required Dimension	Min	Max
Height	23.39	23.65
1/2 Span	45.79	46.05
Angle	54	56
Total Span	91.58	92.100
Bending Passes	6	--
Crushing	--	6%



	Side A	Side B
Bending Passes	30	29
Crushing	4.1%	4.7%
Comments		

QC15 Inspection
Date

Rev	Date	Change	Revised by	Approved
A	07.02.06	New Issue	KJ/JM	
B	09.06.22	Dwg Rev updated	KJ	
C	11.08.22	Dimensions updated	KJ	
D	11.09.30	Dimensions updated	KJ	
E	12.04.16	Added bending, crushing dimensions	KJ	

Item	QTY -245	PART NUMBER	DESCRIPTION
1	X	D407-667-245	CROSSTUBE ASSEMBLY (407 HIGH AFT)
2	1	D6011-115	CROSSTUBE
3	2	D2856-400-773	ABRASION STRIP
4	2	D2873-043	NUT PLATE
5	2	D2873-045	NUT PLATE
6	1	D2894-1	SUPPORT
7	2	D3190-1	CHAFING SHIELD
8	2	D3595-063-430	RUBBER CUSHION
9	14	MS20601AD4W8	RIVET (OR NAS9302B-4-8)
10	4	MS21920-22	CLAMP
11	2	MS21920-25	CLAMP (OR MS21920-24)
12	A/R	MAGNOBOND 6398	ROCKWELL SPECIFICATION RBO-120-023 ADHESIVE (TEXTRON/BELL SPEC. 299-947- 100, TYPE II, CLASS 2 ADHESIVE)

GENERAL NOTES:

- 1) MATERIAL: MANUFACTURED FROM D6011-115
FINISHED LENGTH = 112.91±0.020
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
PRIME INSIDE AND OUTSIDE PER DART QSI 005 4.2
PAINT OUTSIDE PER DART QSI 005 4.2
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED.
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX.
- 6) IDENTIFICATION: SCRIBE DART PART NUMBER "D407-667-245" AND BATCH NUMBER ON
INSIDE OF CUFF USING VIBRATING STYLUS.
- 7) WEIGHT: 27.7 lbs
- 8) PART IS SYMMETRIC ABOUT CENTERLINE.
- 9) RUN-OFF PART. BLEND OUT EDGE LONGITUDINALLY, TRANSITION SHOULD BE SMOOTH.
- 10) BEND PROGRESSIVELY WITH A MINIMUM OF 6 PASSES. MAXIMUM TUBE FLATTENING DUE TO
BENDING IS 6% BASED ON O.D.
- 11) LIQUID PENETRANT INSPECT OUTSIDE SURFACE OF CROSSTUBE PER QSI 038.
- 12) INSTALL D2894-1 CENTER SUPPORT USING A 0.03" TO 0.06" THICK LAYER OF MAGNOBOND
6398 PER QSI 015. LET CURE FOR 12 HOURS AFTER INSTALLATION AND PRIOR TO
PACKAGING.
- 13) INSTALL MS21920-25 CLAMPS WITH D3595-063-430 RUBBER CUSHIONS TO SECURE D2894-1
SUPPORT ON TOP SIDE OF THE CROSSTUBE. ENSURE CLAMPS ARE OPPOSITE CROSSTUBE
SUPPORT.
NOTE: MS21920-24 CLAMPS CAN BE USED TO ACCOMMODATE VARYING DIAMETERS.
ENSURE THERE IS A MINIMUM OF 1.5 THREADS IN SAFETY ON THE NUTS.
- 14) EXTREME CARE MUST BE TAKEN TO PROTECT THE OUTSIDE SURFACE OF THE TUBE. THE
OUTSIDE SURFACE MUST BE SMOOTH AND FREE FROM SURFACE DEFECTS SUCH AS
SCRATCHES, NICKS, OR DENTS. DEFECTS UP TO 0.005" MAY BE BLENDED OUT
LONGITUDINALLY. CIRCUMFERENTIAL GRIND MARKS ARE UNACCEPTABLE.
- 15) INSTALL D2856-400-773 ABRASION STRIP WITH A 0.13 (REF) GAP ON BOTTOM SIDE OF
CROSSTUBE, PER QSI 035.
- 16) INSTALL D3190-1 CHAFING SHIELDS SO THAT OVERLAP IS ON BOTTOM SIDE OF CROSSTUBE
OPPOSITE D2894-1 SUPPORT.
- 17) TORQUE CLAMPS 80 TO 100 IN-LB. ENSURE AT LEAST 1.5 THREADS ARE SHOWING IN
SAFETY AND THAT NUT HAS NOT BOTTOMED-OUT AFTER TORQUING.

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT

WITHOUT NOTICE


WORK ORDER

NO. 124891 MLC
1409-25


DEO ATTACHED

RELEASED
08/11/06


F	REFORMAT NOTES TO NEW STANDARDS (ZN B8-1); RELOCATED FLAG #6 (ZN A8-3) PER NCR 210; REMOVED REF. & ADD TOLERANCES (ZN C6-3, C4-3 & D2-3)	RF	08.11.06
E	8.02 AND 8.53 WERE 8.40 AND 8.90 (ZN D5-2); REORGANIZED VIEWS AND REFORMATED DRAWING TO CURRENT STANDARDS. REASONS: CLAMPS MOVED 0.375 TOWARD CL TO ELIMINATE INTERFERENCE WITH AIRCRAFT MOUNTS. REFERENCE: PAR#08-21 AND ECN#1225	MB	08.07.24
D	ADD VIEW FOR OEM SKID HOLES, ROTATE ORIENTATION OF CLAMPS SECTION F-F, REMOVE -851 ABRASION STRIP, ADD MAGNOBOND 6398, ADD CUSHION	PH	07.02.07
C	ADD HOLES AND NUT PLATES FOR COMPATIBILITY WITH BHT/AA SKIDTUBES	PH	05.07.26
B	ADD CHAFING SHIELD	CP	03.05.21
A	NEW ISSUE	CP	02.05.13
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. REV. F D407-667-245 SHEET 1 OF 4 TITLE SCALE CROSSTUBE ASSY (407 HIGH AFT) NTS COPYRIGHT © 2002 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DRAWN	RF		
CHECKED	RF		
MFG. APPR.	RF		
APPROVED	RF		
DE APPR.	RF		
DATE	08.11.06		




D407-667-245
ASSEMBLY DETAIL
(VIEW LOOKING FWD)




VIEW A-A CUFF DETAIL
SCALE 4X



SECTION C-C
SCALE 4X




VIEW D-D CUFF DETAIL
SCALE 4X



SECTION B-B
SCALE 4X, 2PL

DEO ATTACHED
RELEASED
08/11/06


DESIGN	407	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	UP	DRAWING NO.	REV. F
MFG. APPR.	EP	D407-667-245	SHEET 2 OF 4
APPROVED	EP	TITLE	SCALE
DE APPR.	EP	CROSSTUBE ASS'Y (407 HIGH AFT)	NTS
DATE	08.11.06	COPYRIGHT © 2002 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	




DESIGN	40	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	40	DRAWING NO.	REV. F
MFG. APPR.	40	D407-667-245	SHEET 3 OF 4
APPROVED	40	TITLE	SCALE
DE APPR.	40	CROSSTUBE ASS'Y (407 HIGH AFT)	NTS
DATE	08.11.06	COPYRIGHT © 2002 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

D407-667-245 MACHINING DETAIL


RELEASED
08/11/12



DETAIL M: CROSSTUBE CUFF
SCALE 3X



DETAIL N: CUFF TRANSITION
SCALE 2X



DETAIL P: TAPER RUN-OFF
NOT TO SCALE

DESIGN	9	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	9	DRAWING NO.	REV. F
MFG. APPR.	9	D407-667-245	SHEET 4 OF 4
APPROVED	9	TITLE	SCALE
DE APPR.	9	CROSSTUBE ASSY (407 HIGH AFT)	NTS
DATE	08.11.06	<small>COPYRIGHT © 2002 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

DRAWING NO. D407-667-245	TITLE CROSSTUBE ASSY (407 HIGH AFT)	REV. F	DART AEROSPACE LTD ENGINEERING ORDER		D.E.O. NO. D407-667-245-F-1	SHEET NO. SHEET 1 OF 2	SCALE NTS
DRAWN <i>JP</i>	CHECKED <i>JP</i>	MFG. APPR. <i>B</i>	APPROVED <i>JP</i>		DE APPR. <i>JP</i>		
DATE 11.04.08	DATE 11.04.12	DATE 11.04.12	DATE 11.04.12		DATE 11.04.12		

PURPOSE:

REMOVED ABRASION STRIP IN FAVOR OF A THIN LAYER OF PROSEAL 890.

CHANGE:

PARTS LIST IS AMENDED AS FOLLOWS:

IS:

Item	Qty -245	Part Number	Description
3	0	D2856-400-773	ABRASION STRIP

WAS:

3	2	D2856-400-773	ABRASION STRIP
---	---	---------------	----------------

NOTES 2 AND 15, SHEET 1 ARE AMENDED AS FOLLOWS:

IS:

- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
PRIME INSIDE AND OUTSIDE PER DART QSI 005 4.2
MASK UNDERSIDE OF CROSSTUBE AS SHOWN (HATCHED AREA) AND
PAINT OUTSIDE PER DART QSI 005 4.2
REMOVE MASKING AND APPLY CLEAR COAT
- 15) APPLY A THIN COAT OF PROSEAL 890 ON INSIDE CONCAVE SURFACE OF D3190-1
CHAFING SHIELDS AND LET CURE PER MANUFACTURER'S INSTRUCTIONS. INSTALL
PROSEALED D3190-1 CHAFING SHIELDS ONTO CROSSTUBE BY APPLYING A THIN COAT
OF PROSEAL 890 ONTO CROSSTUBE. BE SURE TO ELIMINATE ANY AIR GAPS.

WAS:

- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
PRIME INSIDE AND OUTSIDE PER DART QSI 005 4.2
PAINT OUTSIDE PER DART QSI 005 4.2
- 15) INSTALL D2856-400-773 ABRASION STRIP WITH A 0.13 REF GAP ON BOTTOM SIDE OF
CROSSTUBE PER QSI 035.


RELEASED
2011-04-18
JP

DRAWING NO. D407-667-245	TITLE CROSSTUBE ASSY (407 HIGH AFT)	REV. F	DART AEROSPACE LTD ENGINEERING ORDER	D.E.O. NO. D407-667-245-F.1	SHEET NO. SHEET 2 OF 2	SCALE NTS
DRAWN	CHECKED <i>up</i>	MFG. APPR. <i>EE</i>	APPROVED <i>W</i>	DE APPR. <i>H</i>		
DATE 11.04.08	DATE 11.04.11	DATE 11.04.12	DATE 11/04/12	DATE 11.04.12		

IS:

WAS:

RELEASED
2011-04-18
W



DRAWING NO. D407-667-245	TITLE CROSSTUBE ASS'Y (407 HIGH AFT)	REV. F	DART AEROSPACE LTD ENGINEERING ORDER		D.E.O. NO. D407-667-245-F-2	SHEET NO. SHEET 1 OF 1	SCALE NTS
DRAWN 97	CHECKED ASS	MFG. APPR. E	APPROVED MP		DE APPR. H		
DATE 11.09.07	DATE 11.09.19	DATE 11.09.19	DATE 11.09.19		DATE 11.09.19		

PURPOSE:

REPLACE MAGNOBOND WITH 3M DP460 SCOTCH-WELD EPOXY ADHESIVE

CHANGE:

IS:

Item	Qty -245	Part Number	Description
12	A/R	SCOTCH-WELD DP460	EPOXY ADHESIVE, 3M SCOTCH-WELD

WAS:

12	A/R	MAGNOBOND 6398	ROCKWELL SPECIFICATION RBO-120-023 ADHESIVE (TEXTRON/BELL SPEC. 299-947-100, TYPE II, CLASS 2 ADHESIVE)
----	-----	----------------	---

NOTE 12 & 17, SHEET 1 IS AMENDED AS FOLLOWS:

IS:

- 12) INSTALL D2894-1 CENTER SUPPORT USING A 0.04" TO 0.07" THICK LAYER OF SCOTCH-WELD DP460 PER QSI 015. LET CURE FOR 24 HOURS AFTER INSTALLATION AND PRIOR TO PACKAGING.
- 15) TORQUE CLAMPS 80 TO 100 IN-LB. ENSURE AT LEAST 1.5 THREADS SHOWING IN SAFETY AND THAT NUT HAS NOT BOTTOMED-OUT AFTER TORQUING. **PRIOR TO PACKAGING, RE-CHECK TORQUE ON CLAMPS AFTER ADHESIVE HAS CURED FOR 24 HOURS.**

RELEASED
2011-09-29
MP

WAS:

- 12) INSTALL D2894-1 CENTER SUPPORT USING A 0.03" TO 0.06" THICK LAYER OF MAGNOBOND 6398 PER QSI 015. LET CURE FOR 12 HOURS AFTER INSTALLATION AND PRIOR TO PACKAGING.
- 15) TORQUE CLAMPS 80 TO 100 IN-LB. ENSURE AT LEAST 1.5 THREADS ARE SHOWING IN SAFETY AND THAT NUT HAS NOT BOTTOMED-OUT AFTER TORQUING.



skyservice Work Order Traveler

Sky Service F.B.O. Inc.

DOT APP 53-89 / EASA 145.7142 / BDA AMO 385

WO #: MWO22577	Customer: Dart Aerospace Ltd.	Dept: NDT YUL	Reference: 26273
Descr:	PN:	S/N:	Qty: 1
Make:	Model:	Reg:	A/C S/N:
TSN:	CSN:	TSO:	
Task: UNSCHEDULED			Sequence: 1

Work Required:

CARRY OUT NDT INSPECTION (LIQUID PENETRANT) ON 17 CROSSTUBES

ITEM ID: D212-664-101 FWD CROSSTUBE - HIGH

- 1 - WORK ORDER ID#: 124665
- 2 - WORK ORDER ID#: 124667
- 3 - WORK ORDER ID#: 124664
- 4 - WORK ORDER ID#: 124666
- 5 - WORK ORDER ID#: 124061

ITEM ID: D212-664-201 AFT CROSSTUBE - HIGH

- 5 - WORK ORDER ID#: 124061
- 6 - WORK ORDER ID#: 124060
- 7 - WORK ORDER ID#: 124059

ITEM ID: D407-667-205RLC AFT CROSSTUBE - HIGH 407

- 8 - WORK ORDER ID#: 124889
- 9 - WORK ORDER ID#: 124891
- 10 - WORK ORDER ID#: 124890

ITEM ID: D350-748-101 FWD CROSSTUBE

- 11 - WORK ORDER ID#: 122970
- 12 - WORK ORDER ID#: 110732
- 13 - WORK ORDER ID#: 111492

ITEM ID: D350-748-201 AFT CROSSTUBE

- 14 - WORK ORDER ID#: 113064
- 15 - WORK ORDER ID#: 110107
- 16 - WORK ORDER ID#: 113066
- 17 - WORK ORDER ID#: 113065

Action Taken:	Date:	Initial/Stamp:
LIQUID PENETRANT INSPECTION CARRIED OUT ON ITEMS LISTED ABOVE (ITEMS 1-17) AS PER ASTM1417M-13 NO CRACK FOUND Pen: ZL-56 BATCH# 09H094 EXP. DATE: AUG 2014, DEV: SKD-S2 EXP. DATE: OCT2017 CLEANER: SKC-S EXP. DATE: APR 2018	OCT 20 2014	 b

I certified that the maintenance described above has been performed in accordance with the applicable standard of airworthiness.

Signature:	ACA/SCA Stamp DOT APP 177 53-89	Date: OCT 20 2014
Name: ANTONINO MARCHETTA		



skyservice Work Order Traveler

Sky Service F.B.O. Inc.

DOT APP 53-89 / EASA 145.7142 / BDA AMO 385

WO #: MWO22577	Customer: Dart Aerospace Ltd.	Dept: NDT YUL	Reference: 26273
Descr:	PN:	S/N:	Qty: 1
Make:	Model:	Reg:	A/C S/N:
TSN:	CSN:	TSO:	
Task: UNSCHEDULED			Sequence: 1

Work Required:

CARRY OUT NDT INSPECTION (LIQUID PENETRANT) ON 17 CROSSTUBES

ITEM ID: D212-664-101 FWD CROSSTUBE - HIGH

- 1 - WORK ORDER ID#: 124665
- 2 - WORK ORDER ID#: 124667
- 3 - WORK ORDER ID#: 124664
- 4 - WORK ORDER ID#: 124666
- 5 - WORK ORDER ID#: 124061

ITEM ID: D212-664-201 AFT CROSSTUBE - HIGH

- 5 - WORK ORDER ID#: 124061
- 6 - WORK ORDER ID#: 124060
- 7 - WORK ORDER ID#: 124059

ITEM ID: D407-667-205RLC AFT CROSSTUBE - HIGH 407

- 8 - WORK ORDER ID#: 124889
- 9 - WORK ORDER ID#: 124891
- 10 - WORK ORDER ID#: 124890

SP/4-10-29

ITEM ID: D350-748-101 FWD CROSSTUBE

- 11 - WORK ORDER ID#: 122970
- 12 - WORK ORDER ID#: 110732
- 13 - WORK ORDER ID#: 111492

ITEM ID: D350-748-201 AFT CROSSTUBE

- 14 - WORK ORDER ID#: 113064
- 15 - WORK ORDER ID#: 110107
- 16 - WORK ORDER ID#: 113066
- 17 - WORK ORDER ID#: 113065

Action Taken:	Date:	Initial/Stamp:
LIQUID PENETRANT INSPECTION CARRIED OUT ON ITEMS LISTED ABOVE (ITEMS 1-17) AS PER ASTM1417M-13 NO CRACK FOUND Pen: ZL-56 BATCH# 09H094 EXP. DATE: AUG 2014, DEV: SKD-S2 EXP. DATE: OCT2017 CLEANER: SKC-S EXP. DATE: APR 2018	OCT 20 2014	 b

I certified that the maintenance described above has been performed in accordance with the applicable standard of airworthiness.

Signature:	ACA/SCA Stamp	Date:
Name: ANTONINO MARCHETTA		OCT 20 2014

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO26273

Purchase Order Date 10/28/2014

PO Print Date 10/29/2014

Page Number 6 of 8

Order From :

VC-SKY001

SKYSERVICE
6120 MIDFIELD ROAD
MISSISSAUGA, ONTARIO L5P 1B1
CANADA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 905-678-5636

Ship To Contact

Ship To Phone

Ship Via: Delivered

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax # 10127-2607

Terms

Net 30

Currency

CAD

FOB

FCA - (Free Carrier)

Line Total: \$98.5

15	113064	D350-748-201 CROSSTUBE	10/29/2014	1.00	\$98.53	\$98.53
			Yes			
			4 7:07:00 AM			
AS ABOVE						

Line Total: \$98.53

16	124890	D407-667-205RLC CROSSTUBE	10/29/2014	1.00	\$98.53	\$98.53
			Yes			
			4 7:07:00 AM			
AS ABOVE						

Line Total: \$98.53

17	124891	D407-667-205RLC CROSSTUBE	10/29/2014	1.00	\$98.53	\$98.53
			Yes			
			4 7:07:00 AM			
AS ABOVE						

Note:

10/29/2014

5014-10-29

Work Order ID 124891

124891

Thursday, September 25, 2014 1:09:43 PM

Item ID: D407-667-205RLC

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Aft Crosstube - High 407

Start Date: 9/25/2014 Start Qty: 1.00

1

Cost Item ID:

Required Date: 9/25/2014 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals:

Process Plan: MCS

Date: 14-09-25

Tooling:

Date:

Run Start *NR1*

QC:

Date:

SPC (Y/N):

Date:

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D407-667-245	Rev F/DEO

100 Document Control 0.00

100

DC

DOCUMENT CONTROL

Memo

0.00

Doc. Control - USB or Paperwork

Photocopy bluefile and create labels as per PPP D407-667-205-CHG008

MCS 14-11-06

110 Pick Kit 0.00

110

Packaging

Packaging

Memo

0.00

Packaging

BL 14-10-16

120 BENDING MACHINE - CROSSTUBES 0.00

120

CNC Bend 1

BENDING MACHINE - CROSSTUBES

Memo

0.00

CNC Delta 100 Bender

1-Bend tube as per Dwg D407-667-245 using CNC bender program 407 Aft and Folio 21

BL 14-10-16